Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

UNIVERSITY OF HAWAII
LIBRARIES

JAN 03 1985

LIBRARY USE
ONLY

VOLUME 175

5 May to 5 June 1984

ACADEMIC PRESS
London New York San Francisco

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 175

NUMBER 1, 5 MAY 1984

SEGRAVES, W. A., LOUIS, C., TSUBOTA, S., SCHEDL, P., RAWLS, J. M. and JARRY, B. P., The *rudimentary* Locus of *Drosophila melanogaster* . . 1

MURGOLA, E. J., PAGEL, F. T. and HIJAZI, K. A., Codon Context Effects in Missense Suppression 19

CARRIER, M. J. and BUCKINGHAM, R. H., An Effect of Codon Context on the Mistranslation of UGU Codons *in Vitro* 29

SINGER, P. A., LEVINTHAL, M. and WILLIAMS, L. S., Synthesis of the Isoleucyl- and Valyl-tRNA Synthetases and the Isoleucine–Valine Biosynthetic Enzymes in a Threonine Deaminase Regulatory Mutant of *Escherichia coli* K-12 39

DEROSIER, D. J. and TILNEY, L. G., How to Build a Bend into an Actin Bundle 57

LETTERS TO THE EDITOR

GRAY, T. M. and MATTHEWS, B. W., Intrahelical Hydrogen Bonding of Serine, Threonine and Cysteine Residues Within α-Helices and its Relevance to Membrane-bound Proteins 75

FEDOROV, O. V., KHECHINASHVILI, N. N., KAMIYA, R. and ASAKURA, S., Multidomain of Flagellin 83

MORAS, D., THIERRY, J.-C., CAVARELLI, J. and PIÉMONT, Y., Preliminary Crystallographic Data for Exfoliative Toxin B from *Staphylococcus aureus* 89

JENG, T.-W., CHIU, W., ZEMLIN, F. and ZEITLER, E., Electron Imaging of Crotoxin Complex Thin Crystal at 3·5 Å 93

SCHNEIDER, G. BRÄNDÉN, C.-I. and LORIMER, G., Preliminary X-ray Diffraction Study of Ribulose-1,5-bisphosphate Carboxylase from *Rhodospirillum rubrum* 99

BENNETT, P. M. and ELLIOTT, A., "Splicing" of Paramyosin Filaments. 103

ERRATUM 111

NUMBER 2, 15 MAY 1984

UDVARDY, A., LOUIS, C., HAN, S. and SCHEDL, P., Ribosomal RNA Genes of *Drosophila melanogaster* Have a Novel Chromatin Structure . . . 113

Hay, R. T., Hendrickson, E. A. and DePamphilis, M. L., Sequence Specificity for the Initiation of RNA-Primed Simian Virus 40 DNA Synthesis *in Vivo* 131

Fermi, G., Perutz, M. F., Shaanan, B. and Fourme, R., The Crystal Structure of Human Deoxyhaemoglobin at 1·74 Å Resolution . . 159

Hewat, E. A., Cusack, S., Ruigrok, R. W. H. and Verwey, C., Low Resolution Structure of the Influenza C Glycoprotein Determined by Electron Microscopy 175

Hawkes, R., Grutter, M. G. and Schellman, J., Thermodynamic Stability and Point Mutations of Bacteriophage T4 Lysozyme 195

Letters to the Editor

Burkardt, B. and Burkardt, H.-J. Visualization and Exact Molecular Weight Determination of a *Rhizobium meliloti* Megaplasmid . . 213

Rice, D. W. and Blake, C. C. F., Preliminary X-ray Investigation of Enzyme Substrate Complexes of Horse Muscle Phosphoglycerate Kinase 219

Fitzgerald, P. M. D., Duax, W. L., Punzi, J. S. and Orr, J. C., Crystallization and Preliminary Crystallographic Study of 3α, 20β-Hydroxysteroid Dehydrogenase from *Streptomyces hydrogenans* . 225

Number 3, 25 May 1984

Shingler, V. and Thomas, C. M., Analysis of the *trfA* Region of Broad Host-range Plasmid RK2 by Transposon Mutagenesis and Identification of Polypeptide Products 229

Smith, C. A. and Thomas, C. M., Nucleotide Sequence of the *trfA* Gene of Broad Host-range Plasmid RK2 251

O'Connor, M. B. and Malamy, M. H., Role of the *F* Factor oriV1 Region in *recA*-independent Illegitimate Recombination. Stable Replicon Fusions of the *F* Derivative pOX38 and pBR322-related Plasmids . . . 263

Tatti, K. M. and Moran, C. P. Jr, Promoter Recognition by Sigma-37 RNA Polymerase from *Bacillus subtilis* 285

Kolter, R. and Yanofsky, C., Genetic Analysis of the Tryptophan Operon Regulatory Region Using Site-directed Mutagenesis 299

Schellman, J. A. and Parthasarathy, N., X-ray Diffraction Studies on Cation-collapsed DNA 313

ARMSTRONG, K. A., ACOSTA, R., LEDNER, E., MACHIDA, Y., PANCOTTO, M., MCCORMICK, M., OHTSUBO, H. and OHTSUBO, E., A 37×10^3 Molecular Weight Plasmid-encoded Protein is Required for Replication and Copy Number Control in the Plasmid pSC101 and its Temperature-sensitive Derivative pHS1 331

CESKA, T. A. and EDELSTRIN, S. J., Three-dimensional Reconstruction of Tubulin in Zinc-induced Sheets. II. Consequences of Removal of Microtubule Associated Proteins 349

NORTON, I. T., GOODALL, D. M., FRANGOU, S. A., MORRIS, E. R. and REES, D. A., Mechanism and Dynamics of Conformational Ordering in Xanthan Polysaccharide 371

LETTERS TO THE EDITOR

CHARBIT, A., CLEMENT, J. M. and HOFNUNG, M., Further Sequence Analysis of the Phage Lambda Receptor Site. Possible Implications for the Organization of the LamB Protein in *Escherichia coli* K12 . 395

DANCHIN, A., GUISO, N., ROY, A. and ULLMANN, A., Identification of the *Escherichia coli cya* Gene Product as Authentic Adenylate Cyclase 403

FITZWATER, T., TAMM, J. and POLISKY, B., RNA1 is Sufficient to Mediate Plasmid ColE1 Incompatibility *in Vivo* 409

QUADRIFOGLIO, F., MANZINI, G. and YATHINDRA, N., Short Oligodeoxynucleotides with $d(G\text{-}C)_n$ Sequence do not Assume Left-handed Conformation in High Salt Conditions 419

LENNON, G. G. and NUSSINOV, R., Homonyms, Synonyms and Mutations of the Sequence/Structure Vocabulary 425

NUMBER 4, 5 JUNE 1984

MÜLLER, P. P., REIF, M. K., ZONGHOU, S., SENGSTAG, C., MASON, T. L. and FOX, T. D., A Nuclear Mutation that Post-transcriptionally Blocks Accumulation of a Yeast Mitochondrial Gene Product can be Suppressed by a Mitochondrial Gene Rearrangement 431

KHALILI, K. and WEINMANN, R., Shut-off of Actin Biosynthesis in Adenovirus Serotype 2-infected Cells 453

DOWNARD, J. S., KUPFER, D. and ZUSMAN, D. R., Gene Expression During Development of *Myxococcus xanthus*. Analysis of the Genes for Protein S 469

HAY, R. T., STOW, N. D. and MCDOUGALL, I. M., Replication of Adenovirus Mini-chromosomes 493

Vos-Scheperkeuter, G. H. and Witholt, B., Assembly Pathway of Newly Synthesized LamB Protein an Outer Membrane Protein of *Escherichia coli* K-12 511

Losa, R., Thoma, F. and Koller, T., Involvement of the Globular Domain of Histone H1 in the Higher Order Structures of Chromatin 529

Letter to the Editor

Gray, C. W., Page, G. A. and Gray, D. M., Complex of fd Gene 5 Protein and Double-stranded RNA. 553

Index to Volume 175

Acosta, R. (see also Armstrong, K. A.), 331
Actin biosynthesis shut-off in adenovirus serotype-2-infected cells, 453
— bundle, how to build in a bend, 57
Adenovirus mini-chromosome replication, 493
— serotype-2-infected cells, and shut-off of actin biosynthesis, 453
Adenylate cyclase, authentic, identified for *Escherichia coli cya* gene product, 403
Armstrong, K. A., Acosta, R., Ledner, E., Machida, Y., Pancotto, M., McCormick, M., Ohtsubo, H. & Ohtsubo, E., A 37×10^3 molecular weight plasmid-encoded protein is required for replication and copy number control in the plasmid pSC101 and its temperature-sensitive derivative pHS1, 331
Asakura, S. (see also Fedorov, O. V.), 83
Assembly pathway of newly synthesized LamB protein an outer membrane protein of *Escherichia coli* K-12, 511

Bacillus subtilis, promoter recognition by sigma-37 RNA polymerase, 285
Bacteriophage lambda receptor site, further sequence analysis; implications for the organization of the LamB protein in *Escherichia coli* K12, 395
— T4 lysozyme, thermodynamic stability and point mutations, 195
Bend, how to build it into an actin bundle, 57
Bennett, P. M. & Elliott, A., "Splicing" of paramyosin filaments, 103
Biosynthesis, actin, shut-off in adenovirus serotype-2-infected cells, 453
Blake, C. C. F. (see also Rice, D. W.), 219
Brändén, C.-I. (see also Schneider, G.), 99
Broad host-range plasmid RK2, analysis of the *trfA* region by transposon mutagenesis and identification of polypeptide products, 229
— —-— — —, nucleotide sequence of the *trfA* gene, 251
Buckingham, R. H. (see also Carrier, M. J.), 29
Bundle, actin, how to build in a bend, 57
Burkhardt, B. & Burkhardt, H.-J., Visualization and exact molecular weight determination of a *Rhizobium meliloti* megaplasmid, 213
Burkhardt, H.-J. (see also Burkhardt, B.), 213

Carrier, M. J. & Buckingham, R. H., An effect of codon context on the mistranslation of UGU codons *in vitro*, 29
Cation-collapsed DNA, X-ray diffraction studies, 313
Cavarelli, J. (see also Moras, D.), 89
Ceska, T. A. & Edelstein, S. J., Three-dimensional reconstruction of tubulin in zinc-induced sheets. II. Consequences of removal of microtubule associated proteins, 349
Charbit, A., Clement, J. M. & Hofnung, M., Further sequence analysis of the phage lambda receptor site. Possible implications for the organization of the LamB protein in *Escherichia coli* K12, 395
Chiu, W. (see also Jeng, T.-W.), 93
Chromatin, involvement of the globular domain of histone H1 in the higher order structures, 529
— structure, novel, of rRNA genes of *Drosophila melanogaster*, 113
Clement, J. M. (see also Charbit, A.), 395
Codon context effects in missense suppression, 19
— — effect on the mistranslation of UGU codons *in vitro*, 29
ColE1 plasmid, RNA1 is sufficient to mediate incompatibility *in vivo*, 409
Complex of fd gene 5 protein and double-stranded RNA, 553
Complexes, enzyme substrate, of horse muscle phosphoglycerate kinase, preliminary X-ray investigation, 219
Conformation of short oligodeoxynucleotides with $d(G\text{-}C)_n$ sequence in high salt conditions, 419
Conformational ordering in xanthan polysaccharide, mechanism and dynamics, 371
Context effects in missense suppression, 19
— effect on the mistranslation of UGU codons *in vitro*, 29

Copy number control in the plasmid pSC101 and its derivative pHS1, a 37×10^3 molecular weight plasmid-encoded protein is required, 331
Crotoxin complex thin crystal, electron imaging at 3·5 Å, 93
Crystal structure of human deoxyhaemoglobin at 1·74 Å resolution, 159
Crystallization and preliminary crystallographic study of 3α, 20β-hydroxysteroid dehydrogenase from *Streptomyces hydrogenans*, 225
Crystallographic data, preliminary, for exfoliative toxin B from *Staphylococcus aureus*, 89
cya gene product, *Escherichia coli*, identification as authentic adenylate cyclase, 403
Cusack, S. (see also Hewat, E. A.), 175
Cysteine, serine and threonine residues, intrahelical hydrogen bonding with α-helices, and its relevance to membrane-bound proteins, 75

Danchin, A., Guiso, N., Roy, A. & Ullmann, A., Identification of the *Escherichia coli cya* gene product as authentic adenylate cyclase, 403
Deoxyhaemoglobin, human, crystal structure at 1·74 Å resolution, 159
DNA, cation-collapsed, X-ray diffraction studies, 313
—, SV40, RNA-primed, sequence specificity for the initiation of synthesis *in vivo*, 131
DePamphilis, M. L. (see also Hay, R. T.), 131
DeRosier, D. J. & Tilney, L. G., How to build a bend into an actin bundle, 57
Development of *Myxococcus xanthus*, and gene expression; analysis of genes for protein S, 469
$d(G\text{-}C)_n$ short oligodeoxynucleotides do not assume left-handed conformation in high salt conditions, 419
Downard, J. S., Kupfer, D. & Zusman, D. R., Gene expression during development of *Myxococcus xanthus*. Analysis of the gene for protein S, 469
Drosophila melanogaster rRNA genes have a novel chromatin structure, 113
— —, the *rudimentary* locus, 1
Duax, W. L. (see also Fitzgerald, P. M. D.), 225

Edelstrin, S. J. (see also Ceska, T. A.), 349
Electron imaging of crotoxin complex thin crystal at 3·5 Å, 93
— microscopic determination of low resolution structure of the influenza C glycoprotein, 175
Elliott, A. (see also Bennett, P. M.), 103
Enzyme substrate complexes of horse muscle phosphoglycerate kinase, preliminary X-ray investigation, 219
Escherichia coli cya gene product, identification as authentic adenylate cyclase, 403
— — K-12, assembly pathway of newly synthesized LamB protein an outer membrane protein, 511
— — K12 LamB protein organization, implications of further sequence analysis of the phage lambda receptor site, 395
— — K-12, synthesis of the isoleucyl- and valyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes in a threonine deaminase regulatory mutant, 39
Exfoliative toxin B from *Staphylococcus aureus*, preliminary crystallographic data, 89
F factor oriV1 region, role in *recA*-independent illegitimate recombination. Stable replicon fusions of the *F* derivative pOX38 and pBR322-related plasmids, 263
fd gene 5 protein, complex with double-stranded RNA, 553
Fedorov, O. V., Khechinashvili, N. N., Kamiya, R. & Asakura, S., Multidomain of flagellin, 83
Fermi, G., Perutz, M. F., Shaanan, B. & Fourme, R., The crystal structure of human deoxyhaemoglobin at 1·74 Å resolution, 159
Filaments, paramyosin, and "splicing", 103
Fitzgerald, P. M. D., Duax, W. L., Punzi, J. S. & Orr, J. C., Crystallization and preliminary crystallographic study of 3α, 20β-hydroxysteroid dehydrogenase from *Streptomyces hydrogenans*, 225
Fitzwater, T., Tamm, J. & Polisky, B., RNA1 is sufficient to mediate plasmid ColE1 incompatibility *in vivo*, 409
Flagellin multidomain, 83
Fourme, R. (see also Fermi, G.), 159
Fox, T. D. (see also Müller, P. P.), 431
Frangou, S. A. (see also Norton, I. T.), 371

Gene expression during development of *Myxococcus xanthus*. Analysis of the genes for protein S, 469
— 5 protein, fd, complex with double-stranded RNA, 553
— product, *cya*, *Escherichia coli*, identification as authentic adenylate cyclase, 403

— rearrangement can suppress a nuclear mutation that post-transcriptionally blocks accumulation of a yeast mitochondrial gene product, 431
— *trfA* of broad host-range plasmid RK2, nucleotide sequence, 251
Genes, rRNA, or *Drosophila melanogaster* have a novel chromatin structure, 113
Genetic analysis of the tryptophan operon regulatory region using site-directed mutagenesis, 299
Globular domain of histone H1, involvement in the higher order structures of chromatin, 529
Glycoprotein, influenza C, low resolution structure determined by electron microscopy, 175
Goodall, D. M. (see also Norton, I. T.), 371
Gray, C. W., Page, G. A. & Gray, D. M., Complex of fd gene 5 protein and double-stranded RNA, 553
Gray, D. M. (see also Gray, C. W.), 553
Gray, T. M. & Matthews, B. W., Intrahelical hydrogen bonding of serine, threonine and cysteine residues within α-helices and its relevance to membrane-bound proteins, 75
Grutter, M. G. (see also Hawkes, R.), 195
Guiso, N. (see also Danchin, A.), 403

Han, S. (see also Udvardy, A.), 113
Hawkes, R., Grutter, M. G. & Schellman, J., Thermodynamic stability and point mutations of bacteriophage T4 lysozyme, 195
Hay, R. T., Hendrickson, E. A. & DePamphilis, M. L., Sequence specificity for the initiation of RNA-primed simian virus 40 DNA synthesis *in vivo*, 131
Hay, R. T., Stow, N. D. & McDougall, I. M., Replication of adenovirus mini-chromosomes, 493
α-Helices: intrahelical hydrogen bonding of serine, threonine and cysteine residues and its relevance to membrane-bound proteins, 75
Hendrickson, E. A. (see also Hay, R. T.), 131
Hewat, E. A., Cusack, S., Ruigrok, R. W. H. & Verwey, C., Low resolution structure of the influenza C glycoprotein determined by electron microscopy, 175
Hijazi, K. A. (see also Murgola, E. J.), 19
Histone H1, involvement of the globular domain in the higher order structures of chromatin, 529
Hofnung, M. (see also Charbit, A.), 395
Homonyms, synonyms and mutations of the sequence/structure vocabulary, 425
Horse muscle phosphoglycerate kinase, preliminary X-ray investigation of enzyme substrate complexes, 219
Hydrogen bonding, intrahelical, of serine, threonine and cysteine residues within α-helices and its relevance to membrane-bound proteins, 75
3α, 20β-Hydroxysteroid dehydrogenase from *Streptomyces hydrogenans*, crystallization and preliminary crystallographic study, 225
Human deoxyhaemoglobin, crystal structure at 1·74 Å resolution, 159

Incompatibility, plasmid ColE1, is mediated by RNA1 *in vivo*, 409
Influenza C glycoprotein, low resolution structure determined by electron microscopy, 175
Initiation of RNA-primed SV40 DNA synthesis *in vivo*, and sequence specificity, 131
Intrahelical hydrogen bonding of serine, threonine and cysteine residues within α-helices and its relevance to membrane-bound proteins, 75
Isoleucine–valine biosynthetic enzymes and the isoleucyl- and valyl-tRNA synthetases, synthesis in a threonine deaminase regulatory mutant of *Escherichia coli* K-12, 39
Isoleucyl- and valyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes, synthesis in a threonine deaminase regulatory mutant of *Escherichia coli* K-12, 39

Jarry, B. P. (see also Segraves, W. A.), 1
Jeng, T.-W., Chiu, W., Zemlin, F. & Zeitler, E., Electron imaging of crotoxin complex thin crystal at 3·5 Å, 93

Kamiya, R. (see also Fedorov, O. V.), 83
Khalili, K. & Weinmann, R., Shut-off of actin biosynthesis in adenovirus serotype 2-infected cells, 453
Khechinashvili, N. N. (see also Fedorov, O. V.), 83
Koller, T. (see also Losa, R.), 529
Kolter, R. & Yanofsky, C., Genetic analysis of the tryptophan operon regulatory region using site-directed mutagenesis, 299
Kupfer, D. (see also Downard, J. S.), 469

λ (see also Bacteriophage), 395
LamB protein, newly synthesized, and the assembly pathway, 511
— — organization in *Escherichia coli* K12, implications of further sequence analysis of the phage lambda receptor site, 395
Ledner, E. (see also Armstrong, K. A.), 331
Lennon, G. G. & Nussinov, R., Homonyms, synonyms and mutations of the sequence/structure vocabulary, 425
Levinthal, M. (see also Singer, P. A.), 39
Lorimer, G. (see also Schneider, G.), 99
Losa, R., Thoma, F. & Koller, T., Involvement of the globular domain of histone H1 in the higher order structures of chromatin, 529
Louis, C. (see also Segraves, W. A.), 1
— (see also Udvardy, A.), 113
Lysozyme, bacteriophage T4, thermodynamic stability and point mutations, 195

McDormick, M. (see also Armstrong, K. A.), 331
McDougall, I. M. (see also Hay, R. T.), 493
Machida, Y. (see also Armstrong, K. A.), 331
Malamy, M. H. (see also O'Connor, M. B.), 263
Manzini, G. (see also Quadrifoglio, F.), 419
Mason, T. L. (see also Müller, P. P.), 431
Matthews, B. W. (see also Gray, T. M.), 75
Megaplasmid, *Rhizobium meliloti*, visualization and exact molecular weight determination, 213
Membrane-bound proteins and the relevance of intrahelical hydrogen bonding of serine, threonine and cysteine residues within α-helices, 75
Microtubule associated proteins, consequences of their removal on the three-dimensional structure of zinc-induced tubulin sheets, 349
Mini-chromosomes replication, adenovirus, 493
Missense suppression, and codon context effects, 19
Mistranslation of UGU codons *in vitro*, and an effect of codon context, 29
Mitochondrial gene rearrangement can suppress a nuclear mutation that post-transcriptionally blocks accumulation of a yeast mitochondrial gene product, 431
Molecular weight determination, exact, and visualization of a *Rhizobium meliloti* megaplasmid, 213
Moran, C. P. Jr (see also Tatti, K. M.), 285
Moras, D., Thierry, J.-C., Cavarelli, J. & Piémont, Y., Preliminary crystallographic data for exfoliative toxin B from *Staphylococcus aureus*, 89
Morris, E. R. (see also Norton, I. T.), 371
Müller, P. P., Reif, M. K., Zonghou, S., Sengstag, C., Mason, T. L. & Fox, T. D., A nuclear mutation that post-transcriptionally blocks accumulation of a yeast mitochondrial gene product can be suppressed by a mitochondrial gene rearrangement, 431
Multodomain of flagellin, 83
Murgola, E. J., Pagel, F. T. & Hijazi, K. A., Codon context effects in missense suppression, 19
Muscle phosphoglycerate kinase, horse, preliminary X-ray investigation of enzyme substrate complexes, 219
Mutagenesis, site-directed, used in genetic analysis of the tryptophan operon regulatory region, 299
Mutant, regulatory, threonine deaminase, of *Escherichia coli* K-12, and synthesis of the isoleucyl- and valyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes, 39
Mutation, nuclear, that post-transcriptionally blocks accumulation of a yeast mitochondrial gene product can be suppressed by a mitochondrial gene rearrangement, 431
Mutations, homonyms, and synonyms of the sequence/structure vocabulary, 425
—, point, and thermodynamic stability of bacteriophage T4 lysozyme, 195
Myxococcus xanthus, gene expression during development; analysis of genes for protein S, 469

Norton, I. T., Goodall, D. M., Frangou, S. A., Morris, E. R. & Rees, D. A., Mechanism and dynamics of conformational ordering in xanthan polysaccharide, 371
Nuclear mutation that post-transcriptionally blocks accumulation of a yeast mitochondrial gene product can be suppressed by a mitochondrial gene rearrangement, 431
Nucleotide sequence of the *trfA* gene of broad host-range plasmid RK2, 251
Nussinov, R. (see also Lennon, G. G.), 425

O'Connor, M. B. & Malamy, M. H., Role of the *F* factor oriV1 region in *recA*-independent illegitimate

recombination. Stable replicon fusions of the *F* derivative pOX38 and pBR322-related plasmids, 263
Ohtsubo, E. (see also Pancotto, M.), 331
Ohtsubo, H. (see also Armstrong, K. A.), 331
Oligodeoxynucleotides, short, with $d(G\text{-}C)_n$ sequence do not assume left-handed conformation in high salt conditions, 419
Ordering, conformational, in xanthan polysaccharide, mechanism and dynamics, 371
oriV1 region, *F* factor, role in *recA*-independent illegitimate recombination. Stable replicon fusions of the *F* derivative pOX38 and pBR322-related plasmids, 263
Orr, J. C. (see also Fitzgerald, P. M. D.), 225
Outer membrane protein of *Escherichia coli* K-12, assembly pathway of newly synthesized LamB protein, 511

Page, G. A. (see also Gray, C. W.), 553
Pagel, F. T. (see also Murgola, E. J.), 19
Pancotto, M. (see also Armstrong, K. A.), 331
Paramyosin filaments, "splicing", 103
Parthasarathy, N. (see also Schellman, J. A.), 313
pBR322-related plasmids and the *F* derivative pOX38, stable replicon fusions: role of the *F* factor oriV1 region in *recA*-independent illegitimate recombination, 263
Perutz, M. F. (see also Fermi, G.), 159
Phosphoglycerate kinase, horse muscle, preliminary X-ray investigation of enzyme substrate complexes, 219
pHS1 and pSC101 plasmids, a 37×10^3 molecular weight plasmid-encoded protein is required for replication and copy number control, 331
Piémont, Y. (see also Moras, D.), 89
Plasmid ColE1, RNA1 is sufficient to mediate incompatibility *in vivo*, 409
— pSC101 and its temperature-sensitive derivative pHS1, a 37×10^3 molecular weight plasmid-encoded protein is required for replication and copy number control, 331
— RK2, broad host-range, analysis of the *trfA* region by transposon mutagenesis and identification of polypeptide products, 229
— —, — — —, nucleotide sequence of the *trfA* gene, 251
Plasmids, pBR322-related, and the *F* derivative pOX38, stable replicon fusions; role of the *F* factor oriV1 region in *recA*-independent illegitimate recombination, 263
Polisky, B. (see also Fitzwater, T.), 409
pOX38 *F* derivative and pBR322-related plasmids, stable replicon fusions; role of the *F* factor oriV1 region in *recA*-independent illegitimate recombination, 263
Promoter recognition by sigma-37 RNA polymerase from *Bacillus subtilis*, 285
Protein, fd gene 5, complex with double-stranded RNA, 553
— S genes, and gene expression during development of *Myxococcus xanthus*, 469
— LamB organization in *Escherichia coli* K12, implications of further sequences analysis of the phage lambda receptor site, 395
— outer membrane, of *Escherichia coli* K-12: assembly pathway of newly synthesized LamB protein, 511.
Proteins, membrane-bound, and the relevance of intrahelical hydrogen bonding of serine, threonine and cysteine residues within α-helices, 75
—, microtubule associated, consequences of their removal on the three-dimensional structure of zinc-induced tubulin sheets, 349
pSC101 plasmid and its temperature-sensitive derivative pHS1, a 37×10^3 molecular weight plasmid-encoded protein is required for replication and copy number control, 331
Punzi, J. S. (see also Fitzgerald, P. M. D.), 225

Quadrifoglio, F., Manzini, G. & Yathindra, N., Short oligodeoxynucleotides with $d(G\text{-}C)_n$ sequence do not assume left-handed conformation in high salt conditions, 419

Rawls, J. M. (see also Segraves, W. A.), 1
recA-independent illegitimate recombination, role of the *F* factor oriV1 region; stable replicon fusions of the *F* derivative pOX38 and pBR322-related plasmids, 263
Receptor site, phage lambda, further sequence analysis; implications for the organization of the LamB protein in *Escherichia coli* K12, 395

Recombination, illegitimate, *recA*-independent, role of the *F* factor oriV1 region: stable replicon fusions of the *F* derivative pOX38 and pBR322-related plasmids, 263
Rees, D. A. (see also Norton, I. T.), 371
Regulatory region of tryptophan operon, genetic analysis using site-directed mutagenesis, 299
Reif, M. K. (see also Müller, P. P.), 431
Replication and copy number control in the plasmid pSC101 and its temperature-sensitive derivative pHS1, a 37×10^3 molecular weight plasmid-encoded protein is required, 331
— of adenovirus mini-chromosomes, 493
Replicon fusions, stable, of the *F* derivative pOX38 and pBR322-related plasmids; role of the *F* factor oriV1 region in *recA*-independent illegitimate recombination, 263
Rhizobium meliloti megaplasmid, visualization and exact molecular weight determination, 213
Rhodospirillum rubrum ribulose-1,5-biphosphate carboxylase, preliminary X-ray diffraction study, 99
RNA, double-stranded, complex with fd gene 5 protein, 553
— genes, ribosomal, of *Drosophila melanogaster* have a novel chromatin structure, 113
— polymerase, sigma-37, *Bacillus subtilis*, and promoter recognition, 285
—-primed SV40 DNA synthesis *in vivo*, sequence specificity for initiation, 131
RNA1 is sufficient to mediate plasmid ColE1 incompatibility *in vivo*, 409
Ribosomal RNA genes of *Drosophila melanogaster* have a novel chromatin structure, 113
Ribulose-1,5-biphosphate carboxylase from *Rhodospirillum rubrum*, preliminary X-ray diffraction study, 99
Rice, D. W. & Blake, C. C. F., Preliminary X-ray investigation of enzyme substrate complexes of horse muscle phosphoglycerate kinase, 219
RK2, broad host-range plasmid, analysis of the *trfA* region by transposon mutagenesis and identification of polypeptide products, 229
—, — —-— —, nucleotide sequence of the *trfA* gene, 251
Roy, A. (see also Danchin, A.), 403
rudimentary locus of *Drosophila melanogaster*, 1
Ruigrok, R. W. H. (see also Hewat, E. A.), 175

Schedl, P. (see also Segraves, W. A.), 1
— (see also Udvardy, A.), 113
Schellman, J. A. & Parthasarathy, N., X-ray diffraction studies on cation-collapsed DNA, 313
Schellman, J. (see also Hawkes, R.), 195
Schneider, G., Brändén, C.-I. & Lorimer, G., Preliminary X-ray diffraction study of ribulose-1,5-biphosphate carboxylase from *Rhodospirillum rubrum*, 99
Segraves, W. A., Louis, C., Tsubota, S., Schedl, P., Rawls, J. M. & Jarry, B. P., The *rudimentary* locus of *Drosophila melanogaster*, 1
Sengstag, C. (see also Müller, P. P.), 431
Sequence analysis of the phage lambda receptor site. Possible implications for the organization of the LamB protein in *Escherichia coli* K12, 395
—, nucleotide, of the *trfA* gene of broad host-range plasmid RK2, 251
— specificity for the initiation of RNA-primed simian virus 40 DNA synthesis *in vivo*, 131
-/structure vocabulary, analysis for homonyms, synonyms and mutations, 425
Serine, threonine and cysteine residues, intrahelical hydrogen bonding within α-helices, and its relevance to membrane-bound proteins, 75
Shaanan, B. (see also Fermi, G.), 159
Shingler, V. & Thomas, C. M., Analysis of the *trfA* region of broad host-range plasmid RK2 by transposon mutagenesis and identification of polypeptide products, 229
Sigma-37 RNA polymerase from *Bacillus subtilis*, and promoter recognition, 285
Simian virus 40 (see also Virus), 131
Singer, P. A., Levinthal, M. & Williams, L. S., Synthesis of the isoleucyl- and valyl-tRNA synthetases and the isoleucine valine biosynthetic enzymes in a threonine deaminase regulatory mutant of *Escherichia coli* K-12, 39
Smith, C. A. & Thomas, C. M., Nucleotide sequence of the *trfA* gene of broad host-range plasmid RK2, 251
"Splicing" of paramyosin filaments, 103
Staphylococcus aureus exfoliative toxin B, preliminary crystallographic data, 89
Stow, N. D. (see also Hay, R. T.), 493
Streptomyces hydrogenans, crystallization and preliminary crystallographic study of 3α, 20β-hydroxysteroid dehydrogenase, 225
Structure, low resolution, of the influenza C glycoprotein determined by electron microscopy, 175

–, novel, of chromatin for rRNA genes of *Drosophila melanogaster*, 113
– of human deoxyhaemoglobin at 1·74 Å resolution, 159
–/sequence vocabulary, analysis for homonyms, synonyms and mutations, 425
–, three-dimensional, of tubulin in zinc-induced sheets. Consequences of removal of microtubule associated proteins, 349
Structures, higher order, of chromatin, and involvement of the globular domain of histone H1, 529
Synonyms, homonyms and mutations of the sequence/structure vocabulary, 425
Synthesis of the isoleucyl- and valyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes in a threonine deaminase regulatory mutant of *Escherichia coli* K-12, 39

T4 (see also Bacteriophage), 195
Tamm, J. (see also Fitzwater, T.), 409
Tatti, K. M. & Moran, C. P. Jr, Promoter recognition by sigma-37 RNA polymerase from *Bacillus subtilis*, 285
Thermodynamic stability and point mutations of bacteriophage T4 lysozyme, 195
Thierry, J.-C. (see also Moras, D.), 89
Thoma, F. (see also Losa, R.), 529
Thomas, C. M. (see also Shingler, V.), 229
– (see also Smith, C. A.), 251
Threonine deaminase regulatory mutant of *Escherichia coli* K-12, and synthesis of the isoleucyl- and valyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes, 39
–, serine and cysteine residues, intrahelical hydrogen bonding within α-helices, and its relevance to membrane-bound proteins, 75
Tilney, L. G. (see also DeRosier, D. J.), 57
Transposon mutagenesis and identification of polypeptide products, and the analysis of the *trfA* region of broad host-range plasmid RK2, 229
trfA gene of broad host-range plasmid RK2, nucleotide sequence, 251
– region of broad-host range plasmid RK2, analysis by transposon mutagenesis and identification of polypeptide products, 229
Tryptophan operon regulatory region, genetic analysis using site-directed mutagenesis, 299
Tsubota, S. (see also Segraves, W. A.), 1
Tubulin in zinc-induced sheets, three-dimensional reconstruction; consequences of removal of microtubule associated proteins, 349

Udvardy, A., Louis, C., Han, S. & Schedl, P., Ribosomal RNA genes of *Drosophila melanogaster* have a novel chromatin structure, 113
UGU codon mistranslation *in vitro*, and an effect of codon context, 29
Ullmann, A. (see also Danchin, A.), 403

Valyl- and isoleucyl-tRNA synthetases and the isoleucine–valine biosynthetic enzymes, synthesis in a threonine deaminase regulatory mutant of *Escherichia coli* K-12, 39
Verwey, C. (see also Hewat, E. A.), 175
Virus, fd, complex of gene 5 protein and double-stranded RNA, 553
–, SV40, DNA, RNA-primed, sequence specificity for the initiation of synthesis *in vivo*, 131
Visualization and exact molecular weight determination of a *Rhizobium meliloti* megaplasmid, 213
Vos-Scheperkeuter, G. H. & Witholt, B., Assembly pathway of newly synthesized LamB protein an outer membrane protein of *Escherichia coli* K-12, 511

Weinmann, R. (see also Khalili, K.), 453
Williams, L. S. (see also Singer, P. A.), 39
Witholt, B. (see also Vos-Scheperkeuter, G. H.), 511

Xanthan polysaccharide, mechanism and dynamics of conformational ordering, 371
X-ray diffraction studies on cation-collapsed DNA, 313
– – –, preliminary, of ribulose-1,5-biphosphate carboxylase from *Rhodospirillum rubrum*, 99
– investigation, preliminary, of enzyme substrate complexes of horse muscle phosphoglycerate kinase, 219

Yanofsky, C. (see also Kolter, R.), 299
Yathindra, N. (see also Quadrifoglio, F.), 419

Yeast mitochondrial gene product, a nuclear mutation that post-transcriptionally blocks its accumulation can be suppressed by a mitochondrial gene rearrangement, 431

ZEITLER, E. (see also JENG, T.-W.), 93
ZEMLIN, F. (see also JENG, T.-W.), 93
Zinc-induced sheets of tubulin, three-dimensional reconstruction; consequences of removal of microtubule associated proteins, 349
ZONGHOU, S. (see also MÜLLER, P. P.), 431
ZUSMAN, D. R. (see also DOWNWARD, J. S.), 469